

- 1 -

## TITLE OF THE INVENTION

Method and Apparatus for Interactive Real Time Distributed Gaming

## BACKGROUND OF THE INVENTION

5

The present invention relates to interactive gaming. In particular, the present invention relates to interactive distributed gaming in real time based on an associated sporting event.

10 Spectator sports commonly draw individuals who are adept (so they believe) at knowing every play a team will (or should) execute. For example, ranks of "armchair quarterbacks" fill living rooms, bars, and sports arenas every Sunday and Monday during the professional football season. While many of these individuals are convinced that their knowledge surpasses that of the best professional coaches, companies  
15 have only recently begun to provide ways to measure such prowess.

As one example, Buzztime, Inc. has designed the QB1 interactive game accessible at the website <http://foxsports.com/qb1/index.html>. QB1 allows a participant to predict, using a web browser user interface, the

- 2 -

next offensive play that a football team will pursue. In QB1, the participant selects either RUN or PASS as their basic prediction. A correct prediction awards points, while an incorrect prediction subtracts points from the participant's score. Participants earn more points by predicting more complex plays formed from a direction: LEFT, RIGHT, MIDDLE, and distance BACK, SHORT, DEEP, for example PASS-MIDDLE-DEEP. A bewildering array of possible predictions are possible, with the additional complication that certain combinations are valid only for RUN or PASS situations.

10 As another example, ABC provides the Prime Time Player™ game based at <http://heavy.etv.go.com/etvHome/etvfootball>. Participants in Prime Time Player predict, through a web browser interface, one of four offensive positions (quarterback, wide receiver, running back, or tight end) that will end up with the ball at the end of the play. The participant  
15 accumulates points for choosing the correct offensive position and bonus points based on yardage gained. However, Prime Time Player can be somewhat intimidating for casual football viewers who, for example, may not know a tight end from a wide receiver.

The drawbacks associated with prior interactive games not only  
20 limited the number of participants in the games and the resultant level of

competition, but also the generated revenue streams. Furthermore, the prior interactive games were generally limited to web browser interfaces. As a result, a large number of potential participants without access to an Internet enabled personal computer (e.g., those attending a sporting event, for example) could not play.

A need exists for an interactive game that addresses the problems noted above and others previously experienced.

## BRIEF SUMMARY OF THE INVENTION

10           A method for playing an interactive real time distributed game includes receiving at a scoring system and database a next play prediction for a sporting event from a remote terminal, determining an actual play outcome for the sporting event, transmitting an actual play outcome representation to the remote terminal, and scoring the play prediction  
15           based on the actual play outcome and a predetermined offensive scoring ruleset. In one embodiment, the sporting event is a football game.

Thus, for example, the next play prediction may be a yardage prediction (e.g., a gain of 1-5 yards, 6-10 yards, 11-15 yards, 16-20 yards,

- 4 -

21-25 yards, or 25+ yards), or a scoring prediction (e.g., a touchdown, field goal, two point conversion, or point after touchdown), or a touchdown in combination with a yardage prediction. Points are awarded according to the offensive scoring ruleset, for example, when the next play prediction  
5 is a correct yardage prediction, a correct scoring prediction, or a correct touchdown and yardage prediction. Optionally, the interactive game may include scoring for defensive plays. Thus, the remote terminal may also receive a defensive play outcome representation and score the defensive play outcome according to a predetermined defensive scoring ruleset.

10 No particular terminal type is required, and thus, as examples, the remote terminal may be an Internet enabled personal computer, a cellular phone communicating over a radio channel, or a television browser communicating over a television channel. The interactive game is described in much greater detail below with reference to an interactive  
15 football game.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates a flow diagram of game-player registration and log-on.

- 5 -

Figure 2 shows one implementation of a modular game interface console.

Figure 3 shows a flow diagram for selecting a yardage next play prediction using a game interface console.

5        Figure 4 shows a flow diagram for selecting a scoring next play prediction using a game interface console.

Figure 5 shows a flow diagram for selecting a touchdown scoring button using a game interface console.

10       Figure 6 shows a flow diagram for submitting a next play prediction to a game-server.

Figure 7 illustrates a timing diagram of game-player and game-server operation.

Figure 8 shows a state table describing the game-server, and the remote terminal and flow of events.

15       Figure 9 shows a network connection diagram.

Figure 10 illustrates the flow of active mode scoring.

Figure 11 depicts the flow of passive mode scoring.

DOCKET: 12918US01

- 6 -

Figure 12 shows a game interface that provides a user interface for playing iTrackZONE football on an interactive TV system.

### DETAILED DESCRIPTION OF THE INVENTION

5           One implementation of the interactive real time distributed game (referred to below generally as "iTrackZONE") is specifically discussed below with reference to an interactive football game (referred to as "iTrackZONE Football") based on a live professional, college, or arena football game. Note, however, that iTrackZONE is not limited to football  
10 games. Rather, iTrackZONE may incorporate rulesets for any other competitive activity, including baseball, hockey, chess, billiards, bowling, and the like.

Prior to each game of iTrackZONE Football, each game-player preselects a field-team to represent, preferably for the duration of each  
15 iTrackZONE Football game (or "game-session"). The duration of a game-session coincides with the duration of the underlying football game (or "field-game"). As will be described in more detail below, each game-player submits a prediction for each field-team offensive play prior to the start of each play (e.g., the snap of the football). The game-player scores

- 7 -

and accumulates points for each correct prediction of the outcome of offensive plays for the field-team during the field-game.

As an initial matter, however, and with reference to Figure 1, a potential game-player first registers and logs onto the iTrackZONE Football system (or "game-server-system"). The login server presents (102) login options to the potential game-player, including whether to register as a new game-player, update existing game-player information, or whether to log in and begin play. When registering as a new game-player, the registrant enters (106) subscription information including, as examples, name, address, credit card information, and sets options to receive information about other products and service offered through iTrackZONE. Subsequently, the game-server-system validates (108) the address and other required pertinent information, and if successful, adds (110) the new game-player to the game-sever-system database. If the game-server-system cannot collect the required information, the game-server-system returns to step 106 where the registrant may correct the requested subscription information. A game-player may also opt to cancel (112) their subscription to iTrackZONE Football, in which case their subscription is appropriately marked in the game-server-system database.

Docket 12918US01

- 8 -

Once a game-player is registered in the game-server-system database, the game-player may then logon by entering (114) a valid username and password. An invalid username or password may cause the game-server-system to display (116) an associated warning, or query  
5 (118) the individual trying to logon whether they need to first register. The game-server-system preferably allows a game-player to logon at least 30 minutes prior to initiation of the field-game (e.g., kickoff) and until the end of regulation play of the field-game, including overtime.

Once the game-player has logged in, the game-player selects (120)  
10 a pre-scheduled field-game that is either going to start soon, or that is already in progress and selects (122) and commits to one field-team (from one or more lists of pre-scheduled field games presented by the game-server-system to the game-player) for the duration of that particular field-game and game session. Next, the game-server-system retrieves (124)  
15 the game-player's current score (if any) associated with the selected field-game and field-team. The current score may be zero, for example, if the game-player is logging in for the first time, and may be non-zero if the game-player was playing, but had logged out for a period of time and is returning.



- 9 -

Subsequently, the game-player's remote terminal loads (126) and executes the iTrackZONE Football client software. As examples, the client software may include a Java, HTML, WAP or ATVEF based user interface for a personal computer, a compiled executable software application for a cell phone, pager, or Palm Pilot, or TV set-stop box. The client software, as described in more detail below, also includes scoring rulesets for the underlying sporting event (in this case football). Once the remote terminal loads the client software, the remote terminal connects (128) to a selected game-server that is handling the game-session.

10       The game-server connection may be synchronous or asynchronous, depending on the remote terminal (whether an interactive TV set-top-box, a wireless personal digital assistant (PDA), a web enabled cell phone, a web-pad, a computer with an internet connection, or any other internet connected device, or any device with two-way digital communication capability). The game-server connection communicates with the game-player as described in more detail below during the game-session. Note that the game-player may log off the *game-server* at anytime during the game-session without jeopardizing any accumulated points. The game-player may log on again during the same game-session

15       (i.e., until the end of regulation play of the field-game, including overtime).

20

Docket 12918US01

- 10 -

The end of regulation play concludes the iTrackZONE Football game-session.

The game-session starts when the field-game starts. Up to three minutes before the opening kickoff, the game-player may submit a next play prediction. After the opening kickoff, the game-session is considered active throughout the duration of the field-game. Generally, the game-server establishes field-teams as either in an offensive-state or a defensive-state. A field-team is in offensive-state when that field-team has possession of the football. A field-team is in defensive-state when that field-team does not have possession of the ball.

The game-server further establishes a play-action-state that starts when a game-player's field-team snaps the football. Before each play-action state there is a waiting period. The waiting period, referred to as the play-stopped-state, is the period of time between two consecutive play-action states. While in the play-stopped state, the game-server accepts next play predictions during the submit-prediction-mode as indicated below.

The game-server establishes two game-play-modes associated with a game-player: passive-mode or active-mode. The attributes of the game-play-modes and the transfer from one to another is dependent on

- 11 -

the actions of the game-player's field-team during the field-game. When the field-team is in an offensive-state the game-player is in active-mode. When the field-team is in a defensive-state the game-player is in a passive-mode.

5           The game server and remote terminal allow the game-player to submit next play predictions for the game-player's field-team when the game-player is in the active-mode and the field-team is in the play-stopped-state (i.e., when the game-server establishes that a submit-prediction-mode exists). Preferably, the play-stopped-state starts from the  
10   end of the previous play (e.g., from the official spot or placement of the football by a game referee) to the next break of the field-team huddle.

          The game server further establishes, as a play-action-state, the period of time when the field-teams line up at the line of scrimmage to run a play until the play ends with the official's whistle and an official ruling  
15   (e.g., a spotting of the ball). Preferably, game-players are not allowed to submit next play predictions during the play-action-state; in other words, the game-server establishes a non-submit-mode. Generally, iTrackZONE Football referees determine the start and stop of the play-action-states and therefore determine the duration of the submit-play-states and non-  
20   submit-modes.

Docket # 12918US01

- 12 -

When the field-team that the game-player has pre-selected loses possession of the football, the field-team assumes a defensive-state. At that time, the game-player is placed in a passive-mode and can no longer make next play predictions until the field-team regains possession of the  
5 football and assumes the offensive-state. Thus, the field-team moves between the offensive-state and the defensive-state throughout the game-session.

The game-server sends a message to the remote terminal to alert the game-player that the mode is switching from passive-mode to active-  
10 mode. The remote terminal, in response, generally presents a mode change indicator (e.g., a text message, sound, or graphic) to the game-player. The game-player may then select and submit a next play prediction.

Generally, a next play prediction attempts to prognosticate the next  
15 play that the field-team will execute. Although next play predictions may be placed with regard to both offense and defense, in the preferred embodiment, next play predictions are only allowed when a game-player's selected field team is in the offensive state, game-player is in the active-mode and the field-team is in the play-stopped-state.

5

Table 1 - yardage predictions
1-5 yards
6-10 yards
11-15 yards
16-20 yards
21-25 yards
25 or more yards

Table 2 - scoring predictions
Touchdown
Field Goal
Two Point Conversion
Point After Touchdown

- 14 -

Tables 1 and 2 thus define an offensive play ruleset that defines the predictions a game-player may make.

Preferably, the next play prediction for a yardage prediction is one  
5 of the alternatives shown in Table 1, optionally also specifying a touchdown. Alternatively, the next play prediction may be a single scoring prediction selected from Table 2, although selecting a touchdown also allows the game-player to select a yardage option from Table 1.

The game-player presses a button (i.e., a Submit button) on the  
10 remote terminal to submit the next play prediction (if any) to the game-server. The game-player must submit the next play prediction before the game-system changes from the play-stopped state to the play-action state. In one implementation, a next play prediction is irrevocable and places the game-player into a non-submit-mode. In other words, the  
15 game player cannot place a different next play prediction until the next submit-play-state. Note also that if the game-player fails to submit a next play prediction, any yardage or scoring selections are discarded without being scored.

An offensive scoring ruleset determines how points are allocated  
20 based on the next play prediction. As an example, Table 3 shows the

Docket 12918US01

- 15 -

points awarded for a correct yardage prediction, while Table 4 shows the points awarded for a correct scoring prediction.

Table 3 - offensive scoring ruleset for yardage predictions

Next play prediction	Points awarded if correct	Points awarded (subtracted) if incorrect
1-5 yards	5	0
6-10 yards	5	0
11-15 yards	5	0
16-20 yards	5	0
21-25 yards	5	0
25 or more yards	5	0

Table 4 - offensive scoring ruleset for scoring predictions

Next play prediction	Points awarded if correct	Points awarded (subtracted) if incorrect
Touchdown	6	(6)
Field Goal	3	(3)
Two Point Conversion	2	(2)
Point After Touchdown	1	(1)

5 In one implementation, game-players watch the field-game passively while their field-team is in the defensive-state. The game-server

- 16 -

then awards points to the game-player automatically according to the defensive scoring ruleset shown in Table 5:

Table 5 - defensive scoring ruleset	
Event	Points awarded
Quarterback sack	5
Tackle for yardage loss	2
Fumble recovery	3
Interception	3
Safety	2
Defensive Touchdown	6

Note, however, that in other implementations of iTrackZONE

- 5 Football, the game-player may also submit defensive next play predictions according to a predetermined defensive next play ruleset.

The game-server automatically updates each game-player's point total after every play during the game-session. Preferably, point total scoring leaders are displayed on a leader board on the remote terminal.

- 10 At the end of the field-game a game-player's point total is recorded and ranked against all other players, for example, by team, city, region and nation. The highest ranking game-players may then be determined according to each category and point total. Furthermore, the game-server may define numerous point totals corresponding to certain prizes or



- 17 -

awards. A game-player's point total may be exchanged for a prize, or may be allowed to accrue for more valuable prizes at a future date.

With reference to competition among game-players, all game-players on all platforms may competing against each other to gain the most points. Team play will be supported. Individual players can team up and compete against other teams of the same number (e.g., up to four per side). Individual or team point leaders may, for example, be divided into team, game, city, regional, and national leader board groups. Leader boards are preferably posted after every game and season totals may also be posted with a league MVP, All-Star teams for each of the two conferences and MVPs for each team. Grand prizes (e.g., vacations, season tickets, mountain bikes, skis, and the like) may be awarded at the end of the season to the game-players with the highest point totals, and smaller prizes (e.g., T-shirts, magazine subscriptions, and the like) may be awarded, for example, to the top 1,000 finishers overall.

Turning next to Figure 2, that figure shows one implementation of a modular game interface console 200. The console 200 is suitable for a browser used with personal computers and interactive TV (e.g., through WebTV and AOLTV). The modular design allows certain pieces of the game interface console to be omitted for devices with less screen real

- 18 -

estate such as wireless PDAs, web enabled cell phones, and the like. The console 200 addresses three needs: to facilitate playing iTrackZONE Football, to provide an opportune venue for sponsorship and advertising (e.g., branding for sponsors, placing ads for advertisers that are fixed  
5 and/or rotating and scheduled to appear periodically, with hyper-links for e-commerce functionality to allow the game-player to buy merchandise before, during and after the game), and to provide a platform for viewing streaming field-game video from broadcasters.

The modular design of the console 200 includes six sections: the  
10 iTrackZONE Yardage Range Selector Module 202, the iTrackZONE Field-game Scoring Selector Module 204, the iTrackZONE Game Status Module 206, the iTrackZONE Play Selection Module 208, the iTrackZONE Game Field/Yard Marker Simulator Module 210, and the iTrackZONE Football live field-game Streaming Video Module 212.

15 As illustrated, the yardage range selector module 202 includes six yardage range buttons 214, 216, 218, 220, 222, and 224, and the scoring selector module 204 includes four field-game scoring buttons 226, 228, 230, and 232 and one submit button 234. The buttons 214-224 allow the game-player to select a yardage next play prediction, the buttons 226-232  
20 allow the game-player to select a scoring next play prediction, and the

- 19 -

button 234 allows the game-player to submit a next play prediction to the game-server.

In order for the game-server to award the game-player points, the game-player must select and submit a yardage next play prediction in advance of each play, as explained above. Then, the yardage gained on the subsequent play must be within the range selected by the user (e.g., a gain of 9 yards by a player is within the range of 6-10 yards). Thus, a game-player who submitted a next play prediction of 6-10 yards would be awarded points according to the offensive scoring ruleset given above (i.e., 5 points).

Alternatively, the game-player may score points by selecting and submitting a field-game score in advance of each play, as explained above. The field-game scoring buttons 226-232 represent four possible field-game scores that might occur during an offensive play. Because scoring does not occur on every play, selecting a scoring button 226-232 is optional. Bonus points can be scored when a game-player selects a touchdown in addition to a yardage selection button 214-224. The bonus points are, in one implementation, equal to the points awarded for a touchdown (i.e., 6 points). As noted above, however, the game-player losses points after submitting a next play prediction including a scoring

- 20 -

prediction if the scoring prediction does not actually result on the next play.

With reference again to Figure 2, the game status module 206 includes five fields: a down field 236 (giving the current down number), a distance field 238 (giving the distance to a first down), a Ball-On field 240 (giving the yard line on the playing field where the football is currently located), a Your-Score field 242 (giving the total points awarded to the game-player for this particular game-session), and a Last-Play-Result field 244 (giving the official result of the last play). The fields 236-242 thus represent the status of every down for each series of possession for each field-game team when it has the ball. The fields 236-242 (along with the Game Field/Yard Marker Simulator Module 210) assist a game-player to select a yardage range prior to any given field-game play. The game-player scoring is displayed in the Your-Score field 242 in conjunction with the results of every play.

The play selection module 208 displays the predicted yardage range (if any) and/or predicted scoring (if any) prior to every play, after the next play prediction has been submitted. Note that next play prediction is not only submitted to the game-server, but it is also stored locally in the remote terminal. The game-server may then transmit an actual play

- 21 -

outcome representation to the remote terminals that allows each remote terminal to locally score the next play prediction. The game-server, however, also scores the next play prediction and stores the results in an official scoring database.

5           Still with reference to Figure 2, the yard marker simulator module 210 graphically represents the game field. The yard marker simulator module 210 preferably shows the current location of the football and the first down marker before every down. The yard marker simulator module 210 may be updated for each series of downs for every offensive  
10 possession of each field-team in the field-game. The yard marker simulator module 210 includes: a Game Field color graphic 246 horizontally representing the football playing field, a first down graphic 248 across the width of the playing field that represents the current location of the first down marker, and a location graphic 250 across the width of the  
15 playing field that represents the current location of the ball. The first down graphic 248 and the location graphic 250 move in accordance with actual movement and placement of the first down marker and game ball throughout the entire game. To this end, the game-server may transmit the location for the first down graphic 248 and the location graphic 250 to  
20 each remote terminal.

- 22 -

In addition, the console 200 includes the video module 212. The video module 212 provides live streaming game video from the television network(s) covering the games. The streaming game video preferably runs independently of the other modules 202-210. The streaming game  
5 video also provides an important resource for watching the live game action and to see the results of any given play.

Thus, the iTrackZONE Football console 200 provides, in real time (i.e., as game events happen), interaction between the game-player and the game-server based on the underlying football game. One or more  
10 console 200 modules 202-212 (e.g., the video module 212) may be omitted on hardware platforms with limited screen real estate. A link system, tab system, or scrolling functionality may be used to view these modules. Preferably, however, at least the yardage range selector module 202 and scoring selector module 204 will be retained as the  
15 minimum. Not also that additional modules may be added to the console 200 to extend its functionality.

Note also that the console 200 includes an auxiliary display 252 that the console 200 may use to display text, graphic, video, and audio based advertising, iTrackZONE informational messages, recaps of the last  
20 play, or any other type of information. Furthermore, a chat window 254

- 23 -

provides a text messaging area that the game-server uses to display, for example, a text chat session between multiple remote terminals each executing an iTrackZONE console 200.

With reference next to Figure 3, that figure illustrates a flow diagram 300 of a flow diagram for selecting a yardage next play prediction using the game interface console 200. As an initial matter, note that the console 200 resets all button selections at the beginning of a new start-mode state (i.e., at the beginning of a submit-prediction state). In other words, the game-player does not need to manually deselect buttons that were set for the prior next play prediction. As described below, however, the game-player, during a single submit-prediction state, may select and deselect buttons.

At step 302, the game-player clicks on a yardage button 214-224. If the same yardage button 214-224 is already selected, then the console 200 deselects (304) the yardage button 214-224 clicked on. Alternatively, if no yardage button 214-224 is currently selected, then the console 200 selects (306) the clicked-on yardage button 214-224 (e.g., by highlighting it, changing its color, changing its shape, and the like).

- 24 -

Note that if other yardage selection buttons 214-224 were previously selected, the console deselects (308) them. For example, yardage button 220 is selected, and the game-player selects the yardage button 218, then the console 200 deselects the yardage button 220.

- 5 Similarly, if a scoring button 228-232 (i.e., other than the touchdown button 226) was previously selected, then the console 200 deselects it (step 310), because, preferably, a yardage prediction may only be submitted with a touchdown prediction. Preferably, the console 200 activates the yardage selection buttons only when the game-play is in
- 10 active-mode and the game-server is in a submit-prediction-mode.

With regard to Figure 4, that figure shows a flow diagram 400 for selecting a scoring next play prediction using the game interface console 200. At step 402 the game-player clicks on a scoring button 228-232. If the same scoring button 228-232 is already selected, then the console

15 200 deselects (404) the scoring button 228-232 clicked on. Alternatively, if no scoring button 228-232 is currently selected, then the console 200 selects (406) the clicked-on yardage button 228-232 (e.g., by highlighting it, changing its color, changing its shape, and the like). Note that if other scoring selection buttons 228-232 were previously selected, the console

20 deselects (408) them. For example, scoring button 228 is selected, and

Docket 12918US01



- 25 -

the game-player selects the yardage button 230, then the console 200 deselects the scoring button 228.

Turning next to Figure 5, that figure shows a flow diagram 500 for selecting a touchdown scoring button using the game interface console 200. At step 502 the game-player clicks on the touchdown button 226. If the touchdown button 226 is already selected, then the console 200 deselects (504) the touchdown button 226. Alternatively, if the touchdown button 226 is not currently selected, then the console 200 selects (506) the touchdown button 226. Note that if any other scoring selection button 228-232 was previously selected, the console deselects (508) them. For example, scoring button 228 is selected, and the game-player selects the touchdown button 226, then the console 200 deselects the scoring button 228.

Thus, the game-player may submit 1) a single scoring prediction, 2) a single yardage prediction, or 3) a single yardage prediction with touchdown. In other implementations, however, iTrackZONE Football may allow multiple yardage predictions, scoring predictions, or additional predictions (e.g., fumble, loss of yardage, and the like).

- 26 -

Figure 6 shows a flow diagram 600 for submitting a next play prediction to a game-server. At step 602, the console 200 detects that the game-player has pressed the Submit button 234. If the game-player did not select a next play prediction using the buttons 220-232, then the console 200 issues (604) a warning (e.g., a sound, graphic, or text display) to the game-player. If however, a next play prediction exists on the buttons 220-232, then the console 200 retrieves (606) the next play prediction and prepares (608) a message containing the next play prediction to the game-server. In addition, the console 200 stores (610) the next play prediction locally.

Next, at step 612, the console 200 sends the next play prediction and other option information (e.g., game-player identification, play number, and the like) to the game server. Once the console 200 has sent the next play prediction, the console 200 changes (614) mode to a non-submit-mode. In other words, preferably, the game-player can only submit a single next play prediction for any given submit-prediction-mode state. At step 616, the console 200 updates (resets) the play selection module 208 in accordance with the next play selection.

With reference next to Figure 7, a timing diagram 700 provides a high level summary of operation of iTrackZONE Football. In particular, the

- 27 -

field-game time (702) starts (e.g., with kickoff) at point A and ends (e.g., with the final whistle) at point B. Preferably, up to 30 minutes before the game starts and until the field-game ends, a game-player may interact (704) with iTrackZONE Football game-servers (e.g., by logging in and submitting predictions). Game-server activity (706) occurs before period 704, however, in order to prepare, for example, for game-players logging in. In addition, the actual iTrackZONE Football game-session (708) extends from a few minutes before the field-game starts until a few minutes after the field-game ends. Game players may request rankings, point totals, and the like at the iTrackZONE web site any time between games.

Turning next to Figure 8, that figure shows a state table 800 with columns labeled A-K and rows labeled 1-17. The state table 800 provides an example of the way in which the iTrackZONE Football states change before, during, and after a field-game. Thus, in row 2, representing more than 30 minutes before the field-game starts, all game-players, field-teams, and iTrackZONE-referees are inactive. In row 3, representing less than 30 minutes before the field-game starts, the iTrackZONE-referee, game-player A, and game-player B log in. Game-player A selects field-team C and game-player B selects field-team D.

- 28 -

Next, in row 4, it is assumed that team C kicks off. Thus, field-team C is in a defensive state (cell B:4), field-team D is in an offensive state (cell C:4), and the game-session (column F) is now active. The iTrackZONE-referee sends from the game-server to the remote terminals  
5 a Start signal for field-team D (cell D:4). Thus, the game-server is now in a submit-prediction state with respect to game-player B (cell J:4), while the game-server is in a default-scoring-mode for game-player A (cell I:4).

When field-team C begins its play, the iTrackZONE-referee sends a Stop signal to the remote terminals (cell D:5). In other words, play has  
10 commenced, and next play predictions may no longer be submitted for the current play. Thus, game-player B enters a non-submit-mode (cell K:5). When the current play, completes, however, the iTrackZONE-referee again sends a Start signal to the remote terminals. As a result, game-player B again enters a submit-prediction-mode (cell K:6).

15 The flow-of-events continues in similar fashion through cell C:10 where the state table 800 assumes that field-team C obtains possession of the football. Thus, field-team C enters the offensive state (cell B:10) and field-team D enters the defensive state (cell C:10). Because the field-game is in a play stopped state (cell G:10), game-player A is in a submit-  
20 prediction mode (cell I:10) and may submit a next play prediction. As the

Docket # B F 5 0 3

- 29 -

flow-of-events proceeds, the field-teams enter and leave defensive and offensive states, the game-players enter and leave submit-prediction-mode and non-submit-mode, with coordination by the iTrackZONE-referee (who also transmits the results of each play to the remote terminals for local scoring purposes, and to the game-server for server scoring purposes).

After the final play, both game-players enter game-stop-modes in which no next play predictions are allowed (cells I:15 and K:15), the field-teams become inactive (cells B:15 and C:15), and the game-server enters a stopped state (cell E:15). The game-players may then proceed to logout (cells H:16 and J:16), with the game-server entering an inactive state (cell E:17), for example, 30 minutes after the end of the game.

Turning next to Figure 9, that figure illustrates a connection diagram of an iTrackZONE network 900. In order to facilitate explanation of the network 900, the network 900 is described with regard to information flow around the network 900, beginning with the iTrackZONE-referee 902. The iTrackZONE-referee 902 inputs field-game play results (e.g., a gain of 12 yards, field goal, sack, fumble recovery, and the like), state-changes (e.g., a shown in the state table 800), and other information (e.g., trivia questions, and the like) to the game-server 904.

- 30 -

Subsequently, the game server 904 propagates outgoing data to one or more of the exemplary remote terminals, including an interactive television 906, a desktop computer 908, a cell phone 910, a pager 912, and a wireless Personal Data Assistant 914 (e.g., a PalmPilot). Thus, the game-server 904 communicates the outgoing data over the network link 916 to the television transmitter system 918. As an example, the game-server 904 may communicate an actual play outcome representation (i.e., a data representation of the outcome of a field-game play that may be decoded and processed by the remote terminals 906-914). In turn, the television transmitter system 918 formats the outgoing data for transmission on a preselected television station for reception by the interactive television 906.

Similarly, the game-server 904 may communicate the outgoing information through the network link 920 (e.g., over the Internet or a local network) through the intermediate gateway 922 to the desktop computer 908. The game-server 904 may also send the outgoing information through the network link 924 to a cellular base station 926 to the cellular phone 910. As another alternative, the game-server 904 may send the outgoing information through the network link 928 to the paging transmitter 930 for delivery to the pager 912. Still another option is for the game-

- 31 -

server 904 to transmit the outgoing information over the network link 932 to the PDA transmitter 934 for delivery to the wireless PDA 914.

As noted above, when the remote terminals receive an actual play outcome representation, they score the next play prediction, if any, stored locally in the remote terminal. Furthermore, the remote terminals may also display other received outgoing information, such as trivia questions, advertising, announcements, and the like. It is noted that where the remote terminal provides for transmit capability (e.g., as with the desktop computer 908), the remote terminals may also send information (e.g., next play predictions, trivia question answers, merchandise purchase selections, and the like) back to the iTrackZONE answer server 936.

Continuing with reference to Figure 9, note also that the game-server-system may optionally include an iTrackZONE web server 938, iTrackZONE database manager 940. In particular, the web server 938 may communicate with the terminals 906-914 to handle username and password validation, new game-player registration, general web browsing, merchandise purchase, and the like. The answer server 936 may comprise a network connected server that receives trivia answers and next play predictions from the remote terminals 906-914. The answer server 936, the web server 938, the game-server 904, and the remote

- 32 -

terminals 906-914 may bidirectionally communicate with the game database manager 940 over the network links 942, 944, 946, 948, 950, and 951.

Thus, the iTrackZONE database manager 940 may hold a central repository of field-game and game-player information, statistics, merchandise order information, and the like. As one example, the database manager 940 may store game-player point totals for subsequent retrieval (including by the remote terminals 906-914), ranking, and awards. As another example, the database manager 940 may store each next play prediction from each game-player. Thus, the game-server 904 or iTrackZONE-referee 902 may communicate actual play outcome representations to the database manager 940 through the answer server 936. The database manager 940 may then apply offensive and defensive scoring rulesets to each game-player's next play prediction and obtain an official running tally of each game-player's point total.

The network links shown in Figure 9 may be implemented as terrestrial wire or wireless links, satellite links, and combinations of terrestrial and satellite links. As a result, the remote terminals 906-914 may be distributed around the world.



- 33 -

Turning next to Figure 10, that figure presents a flow diagram 1000 of active mode scoring. Updating the game-player's score proceeds according to the offensive scoring ruleset in Tables 3 and 4. First, a remote terminal receives (1002) an actual play outcome representation  
5 (e.g., from the game-server 904) for the field-team on offense. If the remote terminal is in the non-submit mode, then the remote terminal proceeds (1004), as noted below, to update the game-player's score. Otherwise, the remote terminal proceeds (1006) to the Default Scoring Mode illustrated in Figure 11.

10 As an initial matter, note that if the game-player has not placed a next play prediction or if the result is NULL (i.e., no scoring for this offensive play is applicable to what occurred on the play-field), then processing follows branch C. Otherwise the remote terminal determines (1008) whether the result is a yardage result (i.e., including yardage  
15 and/or touchdown information) or a scoring result (i.e., including scoring information other than touchdown information). A remote terminal processes a scoring result under branch A described below.

With reference first to a yardage result, if the next play prediction included a touchdown, but no touchdown was scored, then the remote  
20 terminal subtracts (1010) six points from the player's score. When the

OFFENSE

- 34 -

play outcome includes a touchdown, the game-player is awarded (1012) six points if the game-player's next play prediction included a touchdown. The result may also include a yardage result. As set forth above in Table 3, a next play prediction that matches the yardage result causes the  
5 remote terminal to add (1014) five points to the game-player's score. No points are subtracted for an incorrect yardage prediction (as shown by branch 1016). Processing then continues at branch B.

As noted above, when the play outcome includes a scoring result other than a touchdown, then processing continues along branch A. In  
10 particular, if the result includes a point-after-touchdown, the remote terminal adds (1018) one point to the score when the next play prediction specified a point-after touchdown, and subtracts (1020) one point from the score when the next play prediction specified a point-after-touchdown, but none was scored. Similarly, if the result includes a two point conversion,  
15 the remote terminal adds (1022) two points to the score when the next play prediction specified a two point conversion, and subtracts (1024) two points from the score when the next play prediction specified a two point conversion, but none was scored. In addition, if the result includes a field goal, the remote terminal adds (1026) three points to the score when the  
20 next play prediction specified a field goal, and subtracts (1028) three

2025 RELEASE UNDER E.O. 14176

- 35 -

points from the score when the next play prediction specified a fieldgoal, but none was scored.

Branches A and B converge at the point where the remote terminal updates (1030) the Your-score field 242 on the console 200. Branches A, 5 B, and C meet at the point where the remote terminal shows (1032) the offensive play result in the Last-Play-Result field 244 (as examples, a gain of 20 yards, field goal, or no scorable play).

With regard to Figure 11, that figure shows a flow diagram 1100 of passive mode scoring. First, a remote terminal receives (1102) an actual 10 play outcome representation (e.g., from the game-server 904) for the field-team on defense. If the remote terminal is in the default-scoring-mode, then the remote terminal proceeds (1104), as discussed below, to update the player's score. Otherwise, the remote terminal proceeds (1106) to Active Scoring Mode as illustrated in Figure 10.

15 As noted above with regard to the defensive scoring ruleset in Table 5, if the defensive play outcome is a quarterback sack, then the remote terminal adds (1108) five points to the game-players' score. Similarly, if the defensive play outcome is a tackle for yardage loss, then the remote terminal adds (1110) two points to the game-players' score. If 20 the defensive play outcome is a fumble recovery, then the remote terminal

- 36 -

adds (1112) three points to the game-players' score. If the defensive play outcome is an interception, then the remote terminal adds (1114) three points to the game-players' score. When the defensive play outcome is a safety, then the remote terminal adds (1116) two points to the game-  
5 players' score. When the defensive play outcome is a defensive touchdown, then the remote terminal adds (1118) six points to the game-players' score.

After determining the new total for the game-player's score, the remote terminal updates (1120) the Your-score field 242 on the console  
10 200. In addition, the remote terminal shows (1122) the defensive play result in the Last-Play-Result field 244.

As noted above, iTrackZONE Football may be played on a variety of remote terminals. Turning next to Figure 12, that figure shows a console 1200 that provides a user interface to iTrackZONE football on an  
15 interactive TV system (e.g., a WebTV™ system). The user interface 1200 overlays a television broadcast signal and provides a combined yardage range and scoring selector module 1202, a Full-Screen button 1204, a Field-map button 1206, and a Stats button 1208.

The Full-screen button 1204 switches the interactive television into  
20 a picture-in-picture mode that supports conventional web browsing

- 37 -

operations. The Field-map button 1206 toggles the presentation of the Game Field / Yard Marker Simulator module 1210. Similarly, the Stats button 1208 toggles the presentation of the Game Status Module (not shown). Detailed information on the modules is presented above with  
5 reference to Figure 2. Note, however, that the toggle function is used to show or hide selected modules at selected times, as desired by the game-player, or in keeping with the amount of screen real estate available for the console 1200.

Thus, iTrackZONE provides a user friendly, easy to understand and  
10 play, interactive realtime distributed game. Next play predictions are scored locally at each remote terminal, while being scored officially within the game-server network. The iTrackZONE network configuration further provides each remote terminal with trivia, merchandising, and other informational and retail services.

15

#### *iTrackZONE* Glossary:

Active-game-state: A state describing that the game-system is active in processing next play predictions and the like. The game-server  
20 enters the active-game-state, for example, 5-30 minutes prior to the start of the field-game.

- 38 -

Active-mode: a mode assigned to a game-player when the preselected-team is in the offensive-state. The active-mode allows the game-player to take specific actions and makes specific options available to the game-player.

- 5           Default-scoring-mode: A state that exists when the game-player's preselected-team is in a defensive-mode. Points are scored by default and attributed to the game-player when that game-player's preselected-team scores points in the field-game.

- 10           Defensive-state: a state assigned to the field-team when it does not have possession of the ball in the Field-Game. This state affects the actions and options available to the game-players that have chosen that field-team to be their selected-team.

Field-game: refers to the actual physical football game that is ongoing for the duration of a game session.

- 15           Field-teams: the teams that are playing football in the Field-Game.

Flow-of-events: The flow-of-events refers to the actions that happen through time after the commencement of the Field-Game. The Flow-of-events will dictate the actions taken by the game-server and how a game-player may interact with the iTrackZONE game at any instant in time. The



- 40 -

iTrackZONE Referee: The Game-session official(s) for the iTrackZONE game. The iTrackZONE Referee will monitor the flow-of-events of the Field-game to determine the states of the game-server during the game session. The iTrackZONE Referee instructs the game  
5 server to transmit the play results of each play to allow processing of the next play predictions, and set the start and stop prediction states that determine the prediction modes for the game-players.

Non-submit-mode: The non-submit-mode coincides with the duration of the play-action-state of a game-players preselected field team.  
10 The non-submit-mode begins when a game-player's preselected-team breaks the huddle to approach the ball to commence a play in the field-game, initiating the play-action-state. During the non-submit-mode, a game-player in active-mode cannot submit next play predictions. A game-player is also automatically placed in a non-submit-mode when he selects  
15 and submits a next play prediction to the game-system. In one embodiment, the next play prediction submission is irrevocably submitted to the game-system and temporarily suspends that game-player's game session, placing the game-player into the non-submit mode. Thus, preferably, the game-player cannot make a different selection and



- 41 -

submission until after the ball is blown dead by a field referee and the next submit-prediction-mode begins.

Offensive-state: a state assigned to the field-team when it has possession of the ball in the Field-Game. The offensive-state affects the actions and options available to the game-players that have chosen that field-team to be their selected-team.

Passive-mode: a mode assigned to a game-player when the preselected-team is in defensive-state. In passive-mode, the game-player will not be able to select or submit any predictions until his preselected-team assumes an offensive-state.

Play-action-state: refers to a state of the overall game-system that corresponds with the live action football plays in the Field-Game. The play-action-state begins when the ball is snapped and ends when a Field-Game official blows the whistle to indicate a dead ball. When the game-system is in the Play-action-state a game-player is not allowed to select and submit predictions.

Play-stopped-state: refers to a state of the game-system that corresponds with the live action football plays in the Field-Game. The play-stopped-state begins when a Field-Game official blows the whistle to

2025 RELEASE UNDER E.O. 14176

- 42 -

indicate a dead ball. When the game-system is in the Play-stopped-state a game-player is allowed to select and submit predictions.

Preselected-team: the Field-team a game-player selects to side with prior to the commencement of the game-session and field-game. The  
 5 preselected-team will determine the flow of events in the game-session and options available to that specific game-player or any other game-player that has chosen to side with that specific field-team.

Remote terminal: the game apparatus, software or a machine that communicates between the game-server and the game-player, allowing  
 10 the game-player to send and receive information synchronously or asynchronously.

Submit-prediction-mode: the Submit-prediction-mode is determined, preferably, by the iTrackZONE-referee and starts when the ball is dead and ends when the ball is live or snapped. In the submit-  
 15 prediction-mode, a game-player in active-mode can submit next play predictions.

Submit-prediction-state: The Submit-prediction-state, preferably determined by the iTrackZONE referee, starts when the ball is dead and ends when the ball is live or snapped. In the submit-prediction-state, a  
 20 game-player in active-mode can submit a next play prediction.

2025 RELEASE UNDER E.O. 14176

[illegible]